

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10/051,291	01/22/2002	David Silagy	ATOCM-244	4767	
23599	7590 08/31/2005		EXAM	EXAMINER	
MILLEN, WHITE, ZELANO & BRANIGAN, P.C. 2200 CLARENDON BLVD.			ZACHARIA,	ZACHARIA, RAMSEY E	
SUITE 1400 ARLINGTON, VA 22201			ART UNIT	PAPER NUMBER	
			1773		

DATE MAILED: 08/31/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

•				_
· ·		Application No.	Applicant(s)	
Office Action Summary		10/051,291	SILAGY ET AL.	
		Examiner	Art Unit	
		Ramsey Zacharia	1773	
To Period for R	he MAILING DATE of this communication appears	pears on the cover sheet with the	e correspondence address	
THE MAI  - Extension after SIX ( - If the period - If NO period - Failure to Any reply	TENED STATUTORY PERIOD FOR REPLY LING DATE OF THIS COMMUNICATION. sof time may be available under the provisions of 37 CFR 1.1 (6) MONTHS from the mailing date of this communication. od for reply specified above is less than thirty (30) days, a reply od for reply is specified above, the maximum statutory period verify within the set or extended period for reply will, by statute received by the Office later than three months after the mailing tent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be y within the statutory minimum of thirty (30) will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDO	days will be considered timely. om the mailing date of this communication. NED (35 U.S.C. § 133).	
Status				
2a)⊠ Thi 3)□ Sin	sponsive to communication(s) filed on 23 Julies action is FINAL. 2b) This nee this application is in condition for allowards sed in accordance with the practice under E	action is non-final. nce except for formal matters,		
Disposition	of Claims			
4a) 5)⊠ Cla 6)⊠ Cla 7)□ Cla	aim(s) <u>1-11,13,16-28 and 35-53</u> is/are pending Of the above claim(s) <u>35 and 36</u> is/are with aim(s) <u>2,8,15-17,20-22,25,26,38,39,41,43,46</u> aim(s) <u>1,3-7,9-11,13,18,19,23,24,27,28,37,46</u> aim(s) is/are objected to. aim(s) are subject to restriction and/o	ndrawn from consideration. 6 and 50-52 is/are allowed. 10,42,44,45,47-49 and 53 is/are	rejected.	
Application	Papers			
10)□ The App Rep	e specification is objected to by the Examine drawing(s) filed on is/are: a) accomplicant may not request that any objection to the placement drawing sheet(s) including the correct e oath or declaration is objected to by the Examine	epted or b) objected to by the drawing(s) be held in abeyance. Stion is required if the drawing(s) is	See 37 CFR 1.85(a). objected to. See 37 CFR 1.121(d).	
Priority unde	er 35 U.S.C. § 119			
12) Ack a) A 1. 2 2. 1 3. 1	nowledgment is made of a claim for foreign    b) Some * c) None of:   Certified copies of the priority document   Certified copies of the priority document	s have been received. s have been received in Applic rity documents have been rece u (PCT Rule 17.2(a)).	ation No ived in this National Stage	
Attachment(s)				
2) Notice of (3) Information	References Cited (PTO-892) Draftsperson's Patent Drawing Review (PTO-948) on Disclosure Statement(s) (PTO-1449 or PTO/SB/08) (s)/Mail Date	4) Interview Summa Paper No(s)/Mail 5) Notice of Informa 6) Other:		

U.S. Patent and Trademark Office PTOL-326 (Rev. 1-04)

#### **DETAILED ACTION**

1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

### Election/Restrictions

2. Claims 35 and 36 are withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected invention, there being no allowable generic or linking claim.

Applicant timely traversed the restriction (election) requirement in the reply filed on 29 July 2003. The applicants' request for rejoinder upon the allowance of claim 1 is noted.

# Claim Rejections - 35 USC § 112

- 3. Claim 53 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 4. Claim 53 is rendered indefinite because the claim refers to a "process according to claim 2" but claim 2 is directed to a thermoforming multilayer film and not a process.

# Claim Rejections - 35 USC § 103

5. Claims 1, 3, 5-7, 9-11, 13, 18, 19, 28, 37, and 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Roeber et al. (U.S. Patent 5,858,492).

Art Unit: 1773

Roeber et al. teach a composite material comprising: (I) a layer of polyvinylidene fluoride, (II) a layer comprising a polyamide, (III) a layer of a coupling agent having reactive groups, and (IV) a layer comprising a polyolefin (column 2, lines 1-13). Layer (II) corresponds to instant layer (B2), and layer (III) corresponds to instant layer (B3). In addition to the polyvinylidene fluoride, layer (I) can also contain polymers based on polyvinylidene fluoride (column 2, lines 23-25). Suitable polyamides include 6-polyamide, 12-polyamide, and 6,6polyamide (column 2, lines 30-42). The polyamides also preferably contain amino end groups (column 5, lines 22-28). Suitable coupling agents include a maleic anhydride modified polyethylene, a maleic anhydride modified copolymer of ethylene and propylene (i.e. a polypropylene grafted with the anhydride) (column 8, line 53-column 9, line 8). The coupling agent material may also contain impact-modifying rubbers, such as EPM or EPDM (column 5, lines 4-6). The composite may be formed by coextrusion or pressing, i.e. lamination of preformed films (column 1, lines 58-59). The composite may also contain customary additives (column 5, lines 34-40). In the embodiments of Examples 6-8, layer (I) has a thickness of 100-200 μm, layer (III) has a thickness of 100 μm, and layer (IV) has a thickness of 600-700 μm (Table 3).

The (IV) layer is a polyolefin, such as polypropylene (column 4, lines 61-62). This layer reads on the polyolefin layer (B4) of claim 9 and 13. Furthermore, since layer (B4) is an optional layer, it also reads on the limitations of claims 10, 11, 33, and 34 with the (IV) layer acting as the substrate.

Regarding claim 28, the composite, since it is formed by co-extruding pressing preformed layers together at an elevated temperature (see column 9, lines 20-37), will intrinsically be

Art Unit: 1773

anisotropic as a result of the internal stresses imposed on the material by the manufacturing process.

Regarding claim 37, Roeber et al. discloses an embodiment where additional layers are disposed on layer (IV) opposite layers (I), (II), and (III) (see arrangement No. 3 in Table 1). These addition layers read on the substrate of instant claim 37.

Regarding claim 44, the limitations of this claim are taken directed to the process by which the polyamide is formed and not the polyamide itself. The polyamide itself is still a polyamide with amine end groups, a polyamide that is taught by Roeber et al. Since the determination of patentability for a product claim is based on the product itself and not on the method of production, Roeber et al. meets the limitations of claim 44 unless the applicants can conclusively demonstrate that the polyamide of claim 44 differs in kind from that of Roeber et al. See MPEP § 2113.

Roeber et al. do not teach the presence of an ink layer on the outside of their composite.

However, since the composite is designed for storing or transporting fuels, fluids, water, etc. (column 7, lines 21-34), it would be obvious to one skilled in the art to print on the external surface of the composite as a means of indicating the contents of the tank, supply line, etc. This printed layer reads on layer (A2) while the layer of polyvinylidene fluoride (I) reads on layer (B1).

Claims 4, 27, 40, and 48 are rejected under 35 U.S.C. 103(a) as being unpatentable over 6. Roeber et al. (U.S. Patent 5,858,492) in view of Koblitz et al. (U.S. Patent 3,253,060).

Art Unit: 1773

Roeber et al. teach all the limitations of claims 4, 40, and 48, as outlined above, except for the use of a blend of a fluoropolymer and an alkyl (meth)acrylate polymer in place of the polyvinylidene fluoride.

Koblitz et al. teach that the molding properties of polyvinylidene fluoride are improved by blending a minor amount of a polymethylmethacrylate resin with the polyvinylidene fluoride (column 1, line 6-column 2, line 42). The blend has a lower melt viscosity that permits a marked decrease in the molding temperature. The polymethylmethacrylate resin may be a homopolymer of methyl methacrylate or a copolymer of methyl methacrylate and an acid functional comonomer such as methacrylic acid (column 2, line 60-column 3, line 17).

One of ordinary skill in the art would be motivated to blend polymethylmethacrylate with the polyvinylidene fluoride of Roeber et al. to improve the molding properties and lower the molding temperature, thus reducing energy costs associated with production of the composite.

Claims 45 and 47 are rejected under 35 U.S.C. 103(a) as being unpatentable over Roeber 7. et al. (U.S. Patent 5,858,492) in view of Fukushi et al. (U.S. Patent 5,658,670).

Roeber et al. teach all the limitations of claims 45 and 47, as outlined above, except for the use of a polyamide in which all the end groups are amines.

Fukushi et al. teach a method for improving the adhesion between a layer comprising a fluoropolymer, such as polyvinylidene fluoride, and a layer comprising a non-fluorinated polymer, such as polyamide (column 1, lines 13-19). The method comprises mixing a di- or polyamine into the non-fluorinated polymer layer prior to bringing the two layers together (column 2, lines 40-65).

Art Unit: 1773

One of ordinary skill in the art would be motivated to add a di- or polyamine to the polyamide layer (II) of Roeber et al. to improve the adhesion of this layer to polyvinylidene fluoride layer (I).

Polyamides are formed through the condensation reaction of amino-acids or diacids and diamines. In either case, the end groups of polyamides are either unreacted amine groups or unreacted acid groups. A di- or polyamine mixed into a polyamide will be expected to react with any unreacted acid groups. Therefore, the resulting polyamide will have amine end groups either from the end groups of the original reactants or as a result of one amine in the di- or polyamine reacting with the unreacted acid groups.

8. Claims 4, 40, 42, and 48 are rejected under 35 U.S.C. 103(a) as being unpatentable over Roeber et al. (U.S. Patent 5,858,492) in view of Grunewalder et al. (U.S. Patent 5,332,899).

Roeber et al. teach all the limitations of claims 4, 40, and 48, as outlined above, except for the use of a blend of a fluoropolymer and an alkyl (meth)acrylate polymer in place of the polyvinylidene fluoride.

Grunewalder et al. teach that the adhesion of fluoropolymers to thermoplastic substrates is improved by blending acrylic polymers with the fluoropolymers (abstract). The blend comprises as much as 50% of a first acrylic polymer whose major constituent is methyl methacrylate (column 1, lines 64-67). The preferred fluoropolymer is polyvinylidene fluoride (column 3, lines 9-11).

Art Unit: 1773

One of ordinary skill in the art would be motivated to blend polymethylmethacrylate with the polyvinylidene fluoride layer of Roeber et al. to improve the adhesion of the layer to the rest of the laminate.

9. Claims 23 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Roeber et al. (U.S. Patent 5,858,492) in view of Roeber et al. (U.S. Patent 5,474,822).

Roeber et al. ('492) teach all the limitations of claims 23 and 24, as outlined above, except for the thickness of the polyvinylidene fluoride layer. However, the layer is designed to act as a barrier layer (see column 1, lines 11-22 and column 7, lines 11-16) in applications such as fuel lines.

Roeber et al. ('822) is directed to a plastic pipe that may be used to transport fuel (column 1, lines 54-60). The pipe comprises a polyvinylidene fluoride layer (column 2, lines 17-18). When the thickness of the polyvinylidene fluoride layer is 0.10 mm, i.e. 100 µm, a pipe may be formed having outstanding resistance and barrier action against the diffusion of chemicals, solvents, and fuels (column 7, lines 45-58).

One skilled in the art would be motivated to use a polyvinylidene fluoride layer having a thickness of 100 µm because Roeber et al. ('822) teach that a thickness of 100 µm is sufficient to yield a product having outstanding resistance and barrier action against the diffusion of chemicals, solvents, and fuels. The selection of a known material (i.e., polyvinylidene fluoride having a thickness of 100 µm) based on its suitability for its intended use (i.e. fuel barrier layer) supports a *prima facie* obviousness determination. See MPEP § 2144:07.

### Allowable Subject Matter

- 10. Claims 2, 8, 15-17, 20-22, 25-26, 38, 39, 41, 43, 46, and 50-52 are allowed.
- 11. Claim 53 would be allowable if rewritten to overcome the rejection(s) under 35
- U.S.C. 112, 2nd paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.
- 12. The statement of reasons for indicating allowable subject matter in independent claims 2, 43, and 46 was presented in the Office action mailed 26 April 2004.
- 13. The statement of reasons for indicating allowable subject matter in independent claims 8, 25, and 41 and dependent claim 49 was presented in the Office action mailed 15 October 2005.

### Response to Arguments

14. Applicant's arguments filed 23 June 2005 have been fully considered but they are not persuasive.

The applicants argue that the product disclosed by Roeber et al. is not thin enough to function as a film. The applicants allege that one skilled in the art would clearly understand that films differ from the comparatively thick constructs of Roeber et al. The applicants cite two articles in support of their position.

This is not persuasive for the following reasons. The term "film" is not defined in the specification as restricted to any particular thickness. Moreover, the articles provided by the applicant do not appear to support the applicants' contention that one skilled in the art would clearly recognize a distinction between a film and the construct of Roeber et al. (which has a thickness of 1 mm in the example). Specifically, *Ullmann's Encyclopedia of Industrial* 

Art Unit: 1773

Chemistry uses the term "film" to refer to thin materials present in a continuous planar form which are at the same time self-supporting and flexible and cites 0.5 µm to about 1 mm as a thickness range. Thus, according to *Ullmann's Encyclopedia of Industrial Chemistry*, a film may have a thickness of up to about 1 mm. The second reference, Understanding Plastic Film, defines plastic films as having a thickness of up to 10 mils (about 250 µm) but also admits that it is hard to define a plastic film. Therefore, it cannot be said that one skilled in the art would clearly appreciate the difference between a film and the constructs of Roeber et al., particularly in view of the fact that Roeber et al. discloses an embodiment having a thickness of 1 mm and the prior art recognizes that films may have a thickness of about 1 mm.

Moreover, regarding claim 23, it is noted that this claim refers to the thickness of only the (A) layers and not the thickness of the entire multilayer film.

### Conclusion

15. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

Application/Control Number: 10/051,291 Page 10

Art Unit: 1773

however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

16. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ramsey Zacharia whose telephone number is (571) 272-1518. The examiner can normally be reached on Monday through Friday from 9 to 5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carol Chaney, can be reached at (571) 272-1284. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Primary Examiner
Tech Center 1700